



**C10**

  
**YUTONG**

# Specifications



**C10**

<b>Basic parameters</b>	
Length (mm)	9985
Width (mm)	2500
Height (mm)	3640
Inner height (mm)	1920
Wheelbase (mm)	4830
Front/rear overhang (mm)	2290/2865
Tire	10R22.5
Min turning diameter (m)	≤18.5
Number of seats	39/43
Fuel tank	300L
Max luggage compartment capacity (m³)	5.5
Max manufacturer's total mass (kg)	13600
<b>Powertrain</b>	
Engine model	D6.7EVID290
Transmission	ZF6API220C
Rated power (kW/rpm)	213/2300
Rated torque (N·m/rpm)	1100/1100-1600
Displacement (L)	6.69
Emission	Euro VI
<b>Seat</b>	
Driver seat	3-point full air-suspended seat
Passenger seat	Three-point seat belt

<b>Interior</b>	
Curtain	●
Luggage rack	Integral inner luggage rack
Roof hatch	1 common roof hatch +1 roof hatch with ventilator
<b>Exterior</b>	
Passenger door	Tempered glass out-swing door
Side window glass	● Fully enclosed glass (The 2nd and 4th on both sides feature upper inward-tilt and lower enclosed glass)
Driver window	Movable built-in driver window
Front windshield	Split left/right glass
Rear windshield	Panel
<b>A/C</b>	
Heating and cooling A/C	● High-power water heating defroster
Defroster	○ Cooling and heating defroster
<b>Chassis</b>	
Axle	Front disc and rear disc
Suspension	Air suspension
Steering wheel	RHD
EPB	●
<b>Safety and driver assistance system</b>	
ELECTRONIC STABILITY CONTROL (ESC) SYSTEM	AEBS
TIRE PRESSURE MONITORING SYSTEM (TPMS)	○
REVERSING RADAR	●
WIPER AND HEADLAMP	Intelligent control
<b>Audio-video entertainment and lighting</b>	
Play system	10.4-inch integrated central control
Microphone	1 wired mic + 1 wireless mic + 1 driver gooseneck mic
Headlamp	LED

● Standard ○ Optional – N/A



**Yutong Bus Co. Ltd.**

Yutong Marketing Center Economic and Technological Development Zone Zhengzhou China

Tel: +86 371 6671 8999 Website: [www.yutong.com](http://www.yutong.com) E-mail: [sales@yutong.com](mailto:sales@yutong.com) Follow us on Facebook & X & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. October 2025 Edition.